

L Number	Hits	Search Text	DB	Time stamp
1	52	recipient adj (directory or subdirectory)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 08:15
2	0	recipient adj ((hierarch\$4 or directory) and subdirectory)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 08:16
3	56	recipient adj (hierarch\$4 or directory or subdirectory)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 08:22
4	241	recipient adj (hierarch\$4 or directory or subdirectory or folder or container or class)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 08:32
5	98	(recipient adj (hierarch\$4 or directory or subdirectory or folder or container or class)) and recipient near6 (mail\$2 or message or list or group)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 08:23
6	53	((recipient adj (hierarch\$4 or directory or subdirectory or folder or container or class)) and recipient near6 (mail\$2 or message or list or group)) and (707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 08:30
7	16	((((recipient adj (hierarch\$4 or directory or subdirectory or folder or container or class)) and recipient near6 (mail\$2 or message or list or group)) and (707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.)) and (inbox or outbox or mailbox) with (hierarch\$4 or directory or subdirectory or folder or container or class))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 08:29
8	22	((recipient adj (hierarch\$4 or directory or subdirectory or folder or container or class)) and recipient near6 (mail\$2 or message or list or group)) and (inbox or outbox or mailbox) with (hierarch\$4 or directory or subdirectory or folder or container or class)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 08:32
9	16	((((recipient adj (hierarch\$4 or directory or subdirectory or folder or container or class)) and recipient near6 (mail\$2 or message or list or group)) and (inbox or outbox or mailbox) with (hierarch\$4 or directory or subdirectory or folder or container or class)) and (707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 08:29
10	55	(recipient adj (hierarch\$4 or directory or subdirectory or folder or container or class)) and (707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 08:32
11	413	recipient adj2 (hierarch\$4 or directory or subdirectory or folder or container or class)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 08:32
12	98	(recipient adj2 (hierarch\$4 or directory or subdirectory or folder or container or class)) and (707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 08:32
13	22	((recipient adj2 (hierarch\$4 or directory or subdirectory or folder or container or class)) and (707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.)) and (inbox or outbox or mailbox) near5 (hierarch\$4 or directory or subdirectory or folder or container or class)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 08:33

L Number	Hits	Search Text	DB	Time stamp
1	43936	((electronic\$3 adj (mail or document or message or book\$5 or message)) or ((email\$2 or e-mail\$2 or e-mailing) adj message))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 06:45
2	48958	707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 07:20
3	7752	((electronic\$3 adj (mail or document or message or book\$5 or message)) or ((email\$2 or e-mail\$2 or e-mailing) adj message))) and (707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 06:38
4	1218	((electronic\$3 adj (mail or document or message or book\$5 or message)) or ((email\$2 or e-mail\$2 or e-mailing) adj message))) and (707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.)) and (directory or (parent adj child)) and class	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 06:58
5	151	((electronic\$3 adj (mail or document or message or book\$5 or message)) or ((email\$2 or e-mail\$2 or e-mailing) adj message))) and (707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.)) and (directory or (parent adj child)) and class) and class near4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 06:54
6	141	((electronic\$3 adj (mail or document or message or book\$5 or message)) or ((email\$2 or e-mail\$2 or e-mailing) adj message))) and (707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.)) and (directory or (parent adj child)) and class) and class near4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 06:40
7	8	((electronic\$3 adj (mail or document or message or book\$5 or message)) or ((email\$2 or e-mail\$2 or e-mailing) adj message))) and (707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.)) and (directory or (parent adj child)) and class) and class near4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 06:40
8	49	((electronic\$3 adj (mail or document or message or book\$5 or message)) or ((email\$2 or e-mail\$2 or e-mailing) adj message))) and (707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.)) and (directory or (parent adj child)) and class) and class near4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 06:47
9	23	((electronic\$3 adj (mail or document or message or book\$5 or message)) or ((email\$2 or e-mail\$2 or e-mailing) adj message))) and (707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.)) and (directory or (parent adj child)) and class) and class near4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 07:15
10	438	((electronic\$3 adj (mail or document or message or book\$5 or message)) or ((email\$2 or e-mail\$2 or e-mailing) adj message))) and (707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.)) and ((electronic\$3 adj (mail or document or message or book\$5 or message)) or ((email\$2 or e-mail\$2 or e-mailing) adj message)) or emailer or e-mailer or mail ) near6 (directory or container or folder))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 06:56
11	9	((electronic\$3 adj (mail or document or message or book\$5 or message)) or ((email\$2 or e-mail\$2 or e-mailing) adj message))) and (707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.)) and ((electronic\$3 adj (mail or document or message or book\$5 or message)) or ((email\$2 or e-mail\$2 or e-mailing) adj message)) or emailer or e-mailer or mail ) adj4 (directory or container or folder))) and class near4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 06:56

12	397	(((electronic\$3 adj (mail or document or message or book\$5 or message)) or ((email\$2 or e-mail\$2 or e-mailing) adj message))) and (707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.)) and (emailer or e-mailer or mail ) adj4 (directory or container or folder)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 07:16
13	9	(((electronic\$3 adj (mail or document or message or book\$5 or message)) or ((email\$2 or e-mail\$2 or e-mailing) adj message))) and (707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.)) and (emailer or e-mailer or mail ) adj4 (directory or container or folder)) and class near4 hierarch\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 06:56
14	2	((((electronic\$3 adj (mail or document or message or book\$5 or message)) or ((email\$2 or e-mail\$2 or e-mailing) adj message))) and (707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.)) and (emailer or e-mailer or mail ) adj4 (directory or container or folder)) and class near4 hierarch\$4) and (parent adj child) and classes!	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 07:20
15	216	recipient adj account	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 07:19
16	6	(recipient adj account) and (emailer or e-mailer or mail ) adj4 (directory or container or folder or hierarch\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 07:17
17	628	((electronic\$3 adj mail) or email\$2er or e-mail\$2 or mail) adj (directory or container or folder or hierarch\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 07:21
18	211	(((electronic\$3 adj mail) or email\$2er or e-mail\$2 or mail) adj (directory or container or folder or hierarch\$5)) and recipient	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 07:19
19	77	(((electronic\$3 adj mail) or email\$2er or e-mail\$2 or mail) adj (directory or container or folder or hierarch\$5)) and recipient adj (data or account or information or message)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 07:22
20	0	(((electronic\$3 adj mail) or email\$2er or e-mail\$2 or mail) adj (directory or container or folder or hierarch\$5)) and recipient adj (data or account or information or message) ) and (parent adj child) with relationship	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 07:20
21	1	(((electronic\$3 adj mail) or email\$2er or e-mail\$2 or mail) adj (directory or container or folder or hierarch\$5)) and recipient adj (data or account or information or message) ) and (parent adj child)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 07:20
22	47	(((electronic\$3 adj mail) or email\$2er or e-mail\$2 or mail) adj (directory or container or folder or hierarch\$5)) and recipient adj (data or account or information or message) ) and (707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 07:21
23	1152	((electronic\$3 adj mail) or email\$2 or e-mail\$2 or mail) adj2 (directory or container or folder or hierarch\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 07:21
24	394	(((electronic\$3 adj mail) or email\$2 or e-mail\$2 or mail) adj2 (directory or container or folder or hierarch\$5)) and (707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 07:21

25	75	(((electronic\$3 adj mail) or email\$2 or e-mail\$2 or mail) adj2 (directory or container or folder or hierarch\$5)) and (707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.)) and recipient adj (data or account or information or message)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 07:22
26	12	(((electronic\$3 adj mail) or email\$2 or e-mail\$2 or mail) adj2 (directory or container or folder or hierarch\$5)) and (707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.)) and recipient adj (data or account or information or message) ) and parent and child and hierarch\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 07:23
27	8	(((electronic\$3 adj mail) or email\$2 or e-mail\$2 or mail) adj2 (directory or container or folder or hierarch\$5)) and (707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.)) and ((parent same child) same mail\$2) and hierarch\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 07:28
28	1	(((electronic\$3 adj mail) or email\$2 or e-mail\$2 or mail) adj2 (directory or container or folder or hierarch\$5)) and (707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.)) and ((parent same child) same mail\$2) and hierarch\$3) and recipient	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 07:27
29	132	(((electronic\$3 adj mail) or email\$2 or e-mail\$2 or mail) adj2 (directory or container or folder or hierarch\$5)) and (707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.)) and recipients! same (mail\$2 or message)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 07:28
30	1	(((electronic\$3 adj mail) or email\$2 or e-mail\$2 or mail) adj2 (directory or container or folder or hierarch\$5)) and (707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.)) and recipients! same (mail\$2 or message)) and ((parent same child) same mail\$2) and hierarch\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 07:29
31	6	(((electronic\$3 adj mail) or email\$2 or e-mail\$2 or mail) adj2 (directory or container or folder or hierarch\$5)) and (707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.)) and recipients! same (mail\$2 or message)) and (parent same child) and hierarch\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 07:29
32	15	(((electronic\$3 adj mail) or email\$2 or e-mail\$2 or mail) adj2 (directory or container or folder or hierarch\$5)) and (707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.)) and recipients! same (mail\$2 or message)) and (parent and child) and hierarch\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 07:30
33	38	(((electronic\$3 adj mail) or email\$2 or e-mail\$2 or mail) adj2 (directory or container or folder or hierarch\$5)) and (707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.)) and recipients! same (mail\$2 or message)) and (parent and child)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 07:32
34	25	(((electronic\$3 adj mail) or email\$2 or e-mail\$2 or mail) adj2 (directory or container or folder or hierarch\$5)) and (707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.)) and (inbox and outbox) with (folder or container or hierarch\$4 or directory)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 07:36
35	17	(((electronic\$3 adj mail) or email\$2 or e-mail\$2 or mail) adj2 (directory or container or folder or hierarch\$5)) and (707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.)) and (inbox and outbox) with (folder or container or hierarch\$4 or directory)) and recipient	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 07:37